

तार "विस्फोटक", नागपुर  
Telegram: 'EXPLOSIVES', Nagpur  
Website : <http://explosives.nic.in>  
Email: [explosives@explosives.gov.in](mailto:explosives@explosives.gov.in)  
दूरभाष/ Telephone : 0712-2510248  
फैक्स/ FAX : 2510577

कार्यालयीन उद्देश्य के सभी पत्रादि "मुख्य विस्फोटक नियंत्रक" के पदनाम से भेजे जाएं, उनके व्यक्तिगत नाम से नहीं।

All communications intended for this Office should be addressed to the 'Chief Controller of Explosives' and NOT to him by name.



भारत सरकार

GOVERNMENT OF INDIA

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन

**Petroleum and Explosives Safety Organisation**

(पूर्व नाम- विस्फोटक विभाग)

(Formerly- Department of Explosives)

"ए" ब्लॉक, पाँचवा तल, केन्द्रीय कार्यालय परिसर,

"A" Block, 5<sup>th</sup> Floor, CGO Complex,

सेमीनरी हिल्स, नागपुर-440 006 (महा.)

Seminary Hills, Nagpur- 440006

संख्या/No. G-3 (40)152

नागपुर, दिनांक/Nagpur, dated the 30<sup>th</sup> October 2006

To:

M/s. Kuldeep Engineering Works,  
A-18, Ghatkopar Industrial Estate,  
LBS Marg, Ghatkopar (W),  
Mumbai – 400 086.

Sub:- Manufacture of Carbon Di-oxide valve conforming to IS:3224-2002 Specification, under BIS Certification Marks Scheme – as per drawing No. 10800 Rev.1 at your works at A-18, Ghatkopar Industrial Estate, LBS Marg, Ghatkopar (W), Mumbai – 400 086.

Dear Sirs,

Please refer to BIS, Mumbai's letter No. MDM-II/Valve dated 03.10.2006.

There is no objection to your manufacturing the subject valves as per drawings referred to above under BIS Certification Marks Scheme.

A copy of certificate issued by BIS in respect of each batch of the valves manufactured and supplied by you to the various parties from time to time may please be furnished to this office for record.

No change in the set up of your qualified and experienced personnel and plant and machinery shall be effected without prior approval of this office.

This permission can be withdrawn at any time if the manufacture of the valves is found to be done not accordance with the provisions of the Gas Cylinders Rules, 2004 and as per design drawings approved.

A copy of BIS licence may be submitted to this office for reference and record.

Yours faithfully,

(C.R.Surendranathan)

Controller of Explosives  
for Chief Controller of Explosives

Copy together with a copy of the approved drawing is forwarded to The Director (Marks), Bureau of Indian Standards, 'Manakalaya' E-9, M.I.D.C., Road No.8, Andheri (East), Mumbai – 400093, with reference to their letter referred to above.

Copy to the Jt. CCE, West Circle, Mumbai.

for Chief Controller of Explosives