

98/191



सत्यमेव जयते

भारत सरकार

GOVERNMENT OF INDIA

वाणिज्य एवं उद्योग मंत्रालय

MINISTRY OF COMMERCE & INDUSTRY

विस्फोटक विभाग

DEPARTMENT OF EXPLOSIVES

कार्यालयीन उद्देश्य के सभी पत्रादि "मुख्य विस्फोटक नियंत्रक" के पदनाम से भेजे जाएं, किसीके व्यक्तिगत नाम से नहीं।

All communication intended for the office should be addressed to the "Chief Controller of Explosives" and NOT by name.

To

M/s. Kuldeep Engineering Works,
A-18, Ghatkopar Industrial Estate,
LBS Marg,
Ghatkopar (W),
Mumbai-400 086.

संख्या / No.: G.3(40)152
दिनांक / Date : 14/05/2004

7 MAY 2004

Sub:- Manufacture of Carbon Di-oxide valve assembly (Puncture type) for Carbon Di-oxide cylinders conforming to IS:3224-2002 Specification under BIS Certification Marks Scheme as per the drawing No. KEW/6 & KEW/9 at your works at A-18, Ghatkopar Industrial Estate, LBS Marg, Ghatkopar (W), Mumbai-400 086.

Dear Sirs,

Please refer to BIS, Mumbai's letter No. MDB-II/7396389, dated 15/04/2004.

There is no objection to your manufacturing the subject valves as per the drawing No. KEW/6 & KEW/9 under BIS Certification Marks Scheme.

A copy of certificate issued by BIS in respect of each batch of the valves manufactured and supplied by you to the various parties from time to time may please be furnished to this office.

No change in the set up of your qualified and experience personnel and plant and machinery shall be effected without prior approval of this office.

This permission can be withdrawn at any time if the manufacture of above valves is found to be done not in accordance with the provisions of the said rules and as per design drawings approved.

A copy each of the above drawings is returned herewith duly endorsed in token of approval.

Yours faithfully,

(C.R. Surendranathan)

Controller of Explosives
for Chief Controller of Explosives

Encl:a/a

Copy forwarded to :-

- 1) The Jt. Chief Controller of Explosives, West Circle, Navi Mumbai.
- 2) The Director (Marks), Bureau of Indian Standards, 'Manakalaya' E-9, M.I.D.C., Marol, Andheri (East), Mumbai-400 093 with reference to his letter mentioned above. A copy each of the above drawing is sent herewith.

for Chief Controller of Explosives

"ए" ब्लॉक, पाँचवा तल, केन्द्रीय कार्यालय परिसर, सेमीनरी हिल्स, नागपूर. (महा.) तार "विस्फोटक", दुरभाष : 0712-2510248, फ़ैक्स :

"A" BLOCK, 5th FLOOR, C.G.O. Complex, Seminary Hills, NAGPUR - 440 006 (M.S.) Telephone : 0712-2510248, Fax : 0712